	Application No.	Applicant/a)
Notice of Allowability	Application No.	Applicant(s)
	09/773,339	SATO ET AL.
	Examiner	Art Unit
	Kristie Shingles	2141
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to <u>7/5/2006</u> .		
2. 🔀 The allowed claim(s) is/are <u>1,4,5,8,10 and 13</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority do</li> </ul>	e been received. e been received in Application No	<del></del>
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS ( as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or in the 0	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT		
Attachment(s)	E   Nicking of Information	Potent Application
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amend	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<u>_</u>	ent of Reasons for Allowance
SUPERVISO	9. Other  UPAL DHARIA  DRY PATENT EXAMINER	kds/20060907

Application/Control Number: 09/773,339

Art Unit: 2141

# **DETAILED ACTION**

### RESPONSE TO AMENDMENT

Claims 1, 4, 5, 8, 10 and 13 have been amended.
Claims 2, 3, 6, 7, 9, 11, 12 and 14-21 have been cancelled.
Claims 1, 4, 5, 8, 10 and 13 are pending.

## Claims 1, 4, 5, 8, 10 and 13 are allowed.

### REASONS FOR ALLOWANCE

1. The following is the Examiner's statement of reasons for allowance:

The prior art or record fails to teach neither singly nor in combination, the claimed limitation of "executing traffic regulation control by changing the stations to be regulated and a number of the stations to be regulated; wherein the regulation control unit includes a regulation pattern selection table comprised of patterns P1 to Pn set every cycle C1 to Cn of the processor and a order-of-regulation-targets table comprised of patterns P1 to Pn with identification numbers of the stations set in each pattern" as stated in independent claims 1, 5 and 10 (and further illustrated by Figures 6-9, 15 and 16 and support in Applicant's Specification on pages 11-16). Specifically, the prior art of record, fails to teach the detailed claimed limitation "wherein if the cycle number of the processor is Ca(1≤a≤n) while the traffic regulation control is performed, said regulation control unit reads the pattern Pa of the same number as the cycle Ca of the processor from the regulation pattern selection table and selects the top N stations in the selected pattern by using the order-of-regulation-targets table, when the number of stations to be regulated is identified by 'N'" (as stated in independent claims 1, 5 and 10).

Although the prior art of record teach regulating traffic and congestion control, it differs

allowable over the prior art of record.

Art Unit: 2141

from Applicant's claimed invention, which specifically changes the stations and the number of stations being regulated, while maintaining a cyclic pattern of stations to regulate. These limitations, in conjunction with other limitations in the independent and dependent claims, are not specifically disclosed or remotely suggested in the prior art of record. A review of claims 1, 4, 5, 8, 10 and 13, in view of the Examiner's remarks above, indicates that these claims are

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### **CONCLUSION**

- 3. The prior art made of record and not relied upon is considered pertinent to the applicant's disclosure: Jain (5,193,151), Soumiya et al (6,671,257), Knutsson et al (6,128,506), Jensen et al (6,067,572).
- Any inquiry concerning this communication or earlier communications from the 4. examiner should be directed to Kristie Shingles whose telephone number is 571-272-3888. The examiner can normally be reached on Monday-Friday 8:30-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/773,339 Page 4

Art Unit: 2141

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kristie Shingles Examiner Art Unit 2141

kds

RUPAL DHARIA
SUPERVISORY PATENT EXAMINER